

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE J	PAGE OF PAGES 1 7
2. AMENDMENT/MODIFICATION NO. 0001	3. EFFECTIVE DATE 11-Apr-2024	4. REQUISITION/PURCHASE REQ. NO. W25G1V405800Y4		5. PROJECT NO.(If applicable)	
6. ISSUED BY ACC-APG TOBYHANNA DIVISION 11 HAP ARNOLD BLVD TOBYHANNA PA 18466		CODE W51AA1	7. ADMINISTERED BY (If other than item 6) See Item 6		
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)				<input checked="" type="checkbox"/>	9A. AMENDMENT OF SOLICITATION NO. W51AA124Q0074
				<input checked="" type="checkbox"/>	9B. DATED (SEE ITEM 11) 09-Apr-2024
				<input type="checkbox"/>	10A. MOD. OF CONTRACT/ORDER NO.
				<input type="checkbox"/>	10B. DATED (SEE ITEM 13)
CODE		FACILITY CODE			
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS					
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input checked="" type="checkbox"/> is extended, <input type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.					
12. ACCOUNTING AND APPROPRIATION DATA (If required)					
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACT ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.					
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.					
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).					
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:					
D. OTHER (Specify type of modification and authority)					
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.					
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) The purpose of this Amendment 001 to Solicitation W51AA124Q0074 is to: - Delete CLIN 0002 and update the quantity of CLIN 0001. - Extended the solicitation closing date out to April 22, 2024, at 12:00 PM EST.					
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.					
15A. NAME AND TITLE OF SIGNER (Type or print)			16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)		
			TEL: _____ EMAIL: _____		
15B. CONTRACTOR/OFFEROR _____ (Signature of person authorized to sign)		15C. DATE SIGNED	16B. UNITED STATES OF AMERICA BY _____ (Signature of Contracting Officer)		16C. DATE SIGNED 11-Apr-2024

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

SUMMARY OF CHANGES

SECTION SF 1449 - CONTINUATION SHEET

SOLICITATION/CONTRACT FORM

The required response date/time has changed from 16-Apr-2024 12:00 PM to 22-Apr-2024 12:00 PM.

SUPPLIES OR SERVICES AND PRICES

CLIN 0001

The pricing detail quantity has increased by 4.00 from 2.00 to 6.00.

CLIN 0002

The NSN 0386705:3BM70 has been deleted.

The CLIN type priced has been deleted.

The CLIN description has changed from PROGRAMMABLE WIRE STRIPPER to DO NOT QUOTE.

The CLIN extended description has changed from:

Brand Name or Equal to KOMAX, Part Number: 0386705 MIRA 230QSee Minimum Specifications for an EqualAll Deliveries Shall be FOB Destination

To:

CLIN002 has been deleted in its entirety from this solicitation.

The pricing detail quantity 7.00 has been deleted.

The unit of issue Each has been deleted.

The manufacturer part number 0386705 has been deleted.

The FOB Destination has been deleted.

The MILSTRIP W25G1V405800YZ has been deleted.

The PSC code 3447 has been deleted.

The WSC Equipment code 000 has been deleted.

The NAICS code 333248 has been deleted.

The MDAP/MAIS Code 000 has been deleted.

DELIVERIES AND PERFORMANCE

The following Delivery Schedule item for CLIN 0001 has been changed from:

DELIVERY DATE	QUANTITY	SHIP TO ADDRESS	DODAAC / CAGE
---------------	----------	-----------------	------------------

31-JUL-2024	2	TOBYHANNA ARMY DEPOT ASARS RECEIVING BUILDING 1 C 6 INSERT PO NUMBER 11 HAP ARNOLD BLVD TOBYHANNA PA 18466-5091 FOB: Destination	W25G1V
-------------	---	--	--------

To:

DELIVERY DATE	QUANTITY	SHIP TO ADDRESS	DODAAC / CAGE
31-JUL-2024	6	TOBYHANNA ARMY DEPOT ASARS RECEIVING BUILDING 1 C 6 INSERT PO NUMBER 11 HAP ARNOLD BLVD TOBYHANNA PA 18466-5091 FOB: Destination	W25G1V

The following Delivery Schedule for CLIN 0002 has been deleted:

DELIVERY DATE	QUANTITY	SHIP TO ADDRESS	DODAAC / CAGE
31-JUL-2024	7	TOBYHANNA ARMY DEPOT ASARS RECEIVING BUILDING 1 C 6 INSERT PO NUMBER 11 HAP ARNOLD BLVD TOBYHANNA PA 18466-5091 FOB: Destination	W25G1V

INSPECTION AND ACCEPTANCE

The Acceptance/Inspection Schedule for CLIN 0002 has been changed from:

INSPECT AT Destination	INSPECT BY Government	ACCEPT AT Destination	ACCEPT BY Government
---------------------------	--------------------------	--------------------------	-------------------------

To:

INSPECT AT N/A	INSPECT BY N/A	ACCEPT AT N/A	ACCEPT BY N/A
-------------------	-------------------	------------------	------------------

The following have been modified:

BASIS OF AWARD

ITEMS ARE BRAND NAME OR EQUAL TO KOMAX, PART NUMBER: 0372440.

If quoting an Equal, vendor must provide full specification package with quote in order to be accepted.

Items will meet or exceed the Statement of Work (Minimum Specifications) listed in solicitation.

The award will be based on best value to the Government, considering price and delivery, to the responsible offeror otherwise conforming to all solicitation requirements. The Government reserves the right to award to other than the lowest price bidder or the earliest delivery bidder. The delivery date specified in this solicitation is only an estimate.

OFFEROR MUST COMPLETE FAR PROVISIONS 52.204-24, 52.204-26, 52.212-3 AND SUBMIT WITH THEIR QUOTE.

To be considered for award, offerors must propose their pricing for the CLIN listed in the SF1449. The company must also have an active registration in the System for Award Management (SAM) <https://www.sam.gov>. Offerors must be found to be responsible in accordance with FAR 9.1 and have no delinquent federal debt.

The Offeror shall supply new equipment only. Offers for refurbished, remanufactured, reconditioned, overhauled, grey market, or used equipment are unacceptable and will not be considered.

All submissions shall be submitted to the buyer via Unison Marketplace by the date and time specified in the solicitation. Submissions shall include a signed copy of the SF 1449 solicitation (by a company representative authorized to bind the company) filled in with pricing for the CLIN, delivery date and all other items listed above. Submissions not including all of these items may not be accepted.

Submissions not received by the date and time specified in the solicitation or not providing all of the required documentation, may not be considered for award. It is the responsibility of the Offeror to verify that their submission, to include all attachments, was received by the date and time specified in the solicitation.

MINIMUM SPECIFICATIONS

MINIMUM SPECIFICATION FOR PROGRAMMABLE STRIPPING MACHINE EQUAL TO P/N: 0372440

1. Scope

This specification defines the minimum requirements for a new programmable stripping machine.

2. Application

The programmable stripping machine along with its accessories will be used to strip wire for cable assemblies.

3. Requirements

3.1 Process/Performance Requirements The stripping machine shall employ a rotary head with 4X or similar blade design. The stripping machine shall meet the following requirements as a minimum:

3.1.1 Wire gauge: The stripping machine shall be capable of stripping wire ranging from 36 to 5 AWG (American Wire Gauge) minimum. The stripping machine shall also be capable of twisting 26 to 13 AWG wire.

3.1.2 Wire size/diameter: The stripper shall be capable of stripping wire up to .315” outside diameter as a minimum.

3.1.3 Insulation Types: The stripping machine shall be capable of processing wire with a variety of insulation types to include but not limited to Teflon, Kapton and pliable silicon.

3.1.4 Stripping Length: The stripping machine shall be capable of stripping lengths from .06 to 2.83 inches as a minimum.

3.1.5 Pull-off Length: The stripping machine shall be capable of pull-off length ranging from .05 to 1.26 inch as a minimum.

3.1.6 Stripping Applications: The stripping machine shall be capable of the following strip applications as a minimum:

- Strip with partial or full pull-off
- Multi-stage stripping
- Multi-step stripping
- Jacket stripping of multi-conductor cable
- Stripping of very thin insulation
- Jacket stripping of multi-conductor cables and power cord with stripping of inner conductors
- Multi-step stripping of jacket and inner conductors
- And Multi-step stripping of shielded cables with or without processing the shield
- Twist strands

3.1.7 Control The stripping machine shall have a built in control for strip operations. The control shall employ a high resolution touchscreen monitor to provide user interface. Control shall be capable of holding up to 3,000 stripping programs. The control shall be capable of processing wire in a specific sequences as programmed up to 100 steps particularly for multi-conductor and multi-layer cables without completely resetting after each function.

3.1.8 Work Area The stripping machine shall have an LED lighted work area for good operator visibility.

3.1.9 Accessories The vendor shall provide the following accessories as a minimum:

- Calibration Jig

- Wrench Set
- Wrist Rest

3.1.10 Machine Size: The stripping machine shall not require a foot print greater than 8'w by 12'h by 20"d

3.2 Utilities

The stripping machine shall operate on 120 VAC, single phase, 60 cycle power. The necessary power required and the amperes shall be stated in the proposal. The stripping machine shall rely on regular shop air if it has a compressed air requirement. Shop air is approximately 90-100 PSI.

4. Safety

The stripping machine shall be UL listed and meet all requirements set forth in OSHA General Industry Standards 29 CFR 1910, dated 1 July 1996 or CE listed. In addition it shall meet or exceed the National Fire Protection Association (NFPA) requirements of NFPA 79-1994, "Electrical Standards for Industrial Machinery." All energy control sources shall have the capability of being locked out and tagged out. The contractor's manuals shall detail the lockout/tagout procedures which are required to bring the stripping machine to a zero mechanical state for maintenance or service procedures. If the machine has a power switch and plugs into a receptacle such that the switch maybe turned off and the machine can be unplugged from the power source, that is sufficient to comply with zero mechanical state requirement. Start-up procedures to return from the zero mechanical state to full operational capability shall also be provided.

6. Documentation

The contractor shall provide two sets of commercial manuals with the stripping machine. This documentation shall be provided at the same time as the machine delivery.

7. Delivery

- a. Delivery of the stripping machine shall be within 90 days of contract award.
- b. Contractor shall coordinate delivery with the Government POC, to include a pre-delivery notification at least 10 days prior to shipment of equipment.

8. Warranty

The equipment furnished under this specification shall be warranted for parts and labor for a period of 1 year from the date of delivery. IN THE CASE OF ANY COMPONENTS OR SUBSYSTEMS WHICH COME WITH A WARRANTY FROM THE MANUFACTURE THAT IS LONGER THAN A YEAR, THAT WARRANTY WILL BE PROVIDED TO THE GOVERNMENT WITH THE OTHER REUQUIRED DOCUMENTATION. THE EXISTANCE OF WARRANTIES FOR COMPONENTS OR SUBSYSTEMS WHICH HAVE A DURATION OF LONGER THAN ONE YEAR IN NO WAY NEGATES OR DIMINISHES THE RESPONSIBILITY OF THE CONTRACTOR FOR PROVIDING WARRANTY OF THOSE COMPONENTS OR SUBSYSTEMS FOR A PERIOD OF ONE YEAR AFTER THE DATE OF start-up/set-up. There shall be single contractor accountability to prevent confusion of responsibility if a problem or breakdown occurs.

(End of Summary of Changes)