






						Date Entered			
				ID	1	1			
Qty	Hand	Net Width	Net Height	Security Cell Door					
44	TBD	TBD	TBD						
<div></div> <p>12 Ga reinforced for continuous hinge installation</p>								Gage	14
								Material	CRS
								Thick	1 3/4"
								Core	Vertically Steel Stiffened
								Label	No Label
								Hardware & Other Preps	
								Hang The Door:	
								12 Ga Reinforcement for field installation of full height continuous hinge	
								Lock/Strikes:	
								Prep for FA /82-6 hinge side mounting	
								Paint:	
								Powder coated color TBD	
								Cut Outs	
								5 x 20 clear view 11/16" glass clad polycarbonate installed	
								Other Preps:	
								Speaker Port Surface Pull: Holes Prepped for #2 Pull Side, Cuff Slot with cover door, hinges and FA/12 lock prep 12 Ga Top and bottom channels	

Top	Bottom	Hinge Edge	Lock Edge
Non Removable Closed	Closed	Beveled	Beveled
			

MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.

This sheet is for Door # SCC1-1317

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE LH 6 (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH			LH 2
KEYED HINGE SIDE	5 RH			LH 6
KEYED STOP SIDE	9 LH			RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W- 23 3/8" x H- 87 3/8"

DOOR - Thickness 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12-6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.







This sheet is for Door # Sec 1-1318

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE RHS (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH			LH 2
KEYED HINGE SIDE	5 RH			LH 6
KEYED STOP SIDE	9 LH			RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W- 23 3/4" x H- 87 3/8"

DOOR - Thickness 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12-6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.

This sheet is for Door # Sec 1 - 1319

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE LHG (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH		LH 2
KEYED HINGE SIDE	5 RH		LH 6
KEYED STOP SIDE	9 LH		RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W - 23 7/8" x H - 87 3/8"

DOOR - Thickness 1 1/2" 8 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12- 6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.

This sheet is for Door # Sec1 - 1320

Wall Type: Block Width of wall: 5' 3/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE RHS (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH		LH 2
KEYED HINGE SIDE	5 RH		LH 6
KEYED STOP SIDE	9 LH		RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W 23 3/8" x H - 81 3/8"

DOOR - Thickness 2 1/4" 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12-6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.







This sheet is for Door # Sec 1 - 1321

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE LH 6 (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH			LH 2
KEYED HINGE SIDE	5 RH			LH 6
KEYED STOP SIDE	9 LH			RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W 23 7/8" x H - 80 1/4"

DOOR - Thickness 1 1/2" 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12-6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.

This sheet is for Door # Sec 1 - 1322

Wall Type: Block Width of wall: 53 1/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE RHS (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH		LH	2
KEYED HINGE SIDE	5 RH		LH	6
KEYED STOP SIDE	9 LH		RH	10

DOOR DIMENSIONS



FRAME: -

OPENING W 23 7/8" x H - 80"

DOOR - Thickness 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12- 6

FRAME PROFILE DIMENSIONS



FRAME DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.

This sheet is for Door # Sec 1 - 1323

Wall Type: Block Width of wall: 57 1/4


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE LHG (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH		LH 2	
KEYED HINGE SIDE	5 RH		LH 6	
KEYED STOP SIDE	9 LH		RH 10	

DOOR DIMENSIONS



FRAME: -

OPENING W - 23 7/8" x H - 80"

DOOR - Thickness, 1 3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12-6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.

This sheet is for Door # Sec 1 - 1324

Wall Type: Block Width of wall: 5 3/4


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE LHG (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH		LH 2
KEYED HINGE SIDE	5 RH		LH 6
KEYED STOP SIDE	9 LH		RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W- 23 7/8" x H- 80"

DOOR - Thickness 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12- 6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.







This sheet is for Door # Sec 1 - 1325

Wall Type: Block Width of wall: 5' 1/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE LHG (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH			LH 2
KEYED HINGE SIDE	5 RH			LH 6
KEYED STOP SIDE	9 LH			RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W- 23 7/8" H- 87 3/8"

DOOR - Thickness 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12-6

FRAME PROFILE DIMENSIONS



FRAME DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.







This sheet is for Door # Sec 1-1326

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE RHS (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH			LH 2
KEYED HINGE SIDE	5 RH			LH 6
KEYED STOP SIDE	9 LH			RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W- 23 7/8" x H- 87 3/8"

DOOR - Thickness 1" 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12-6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.

This sheet is for Door # Sec 1 - 1327

Wall Type: Block Width of wall: 534


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE RHS (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH			LH 2
KEYED HINGE SIDE	5 RH			LH 6
KEYED STOP SIDE	9 LH			RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W- 237 3/8" x H- 87 3/8"

DOOR - Thickness 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12- 6

FRAME PROFILE DIMENSIONS



FRAME DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.







This sheet is for Door # Sec 2-1313

Wall Type: Block Width of wall: 5 9/16"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE LH 6 (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH		LH 2	
KEYED HINGE SIDE	5 RH		LH 6	
KEYED STOP SIDE	9 LH		RH 10	

DOOR DIMENSIONS



FRAME: -

OPENING W- 23 7/8" H- 81 1/8"

DOOR - Thickness 2 1/2" 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12- 6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.







This sheet is for Door # Sec 2-1312

Wall Type: Block Width of wall: 5 9/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE RHS (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH			LH 2
KEYED HINGE SIDE	5 RH			LH 6
KEYED STOP SIDE	9 LH			RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W - 23 7/8" x H - 87 3/8"

DOOR - Thickness, 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12-6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.







This sheet is for Door # Sec 2 - 1311

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE LH 6 (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH			LH 2
KEYED HINGE SIDE	5 RH			LH 6
KEYED STOP SIDE	9 LH			RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W- 23 7/8" x H- 87 1/2"

DOOR - Thickness 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12-6

FRAME PROFILE DIMENSIONS



FRAME DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.







This sheet is for Door # Sec 2-1310

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE RHS (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH			LH 2
KEYED HINGE SIDE	5 RH			LH 6
KEYED STOP SIDE	9 LH			RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W - 23 7/8' x H - 87 3/8"

DOOR - Thickness 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12- 6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.







This sheet is for Door # Sec 2-1309

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE LH6 (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH			LH 2
KEYED HINGE SIDE	5 RH			LH 6
KEYED STOP SIDE	9 LH			RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W- 23 3/8" x H- 87 3/8"

DOOR - Thickness 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A
CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12-6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.







This sheet is for Door # Sec 2 - 1308

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE RH S (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH			LH 2
KEYED HINGE SIDE	5 RH			LH 6
KEYED STOP SIDE	9 LH			RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W- 23 7/8' x H- 87 1/8"

DOOR - Thi 3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12-6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.







This sheet is for Door # Sect 2 - 1307

Wall Type: Block Width of wall: 57 1/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE LH 6 (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH			LH 2
KEYED HINGE SIDE	5 RH			LH 6
KEYED STOP SIDE	9 LH			RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W - 23 7/8" x H - 87 3/8"

DOOR - Thickness 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12-6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.







This sheet is for Door # Sec 2 - 1306

Wall Type: Block Width of wall: 57 1/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE RH S (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH			LH 2
KEYED HINGE SIDE	5 RH			LH 6
KEYED STOP SIDE	9 LH			RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W - 23 7/8" x H - 87 3/8"

DOOR - Thickness 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12-6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.







This sheet is for Door # Sec 2 - 1305

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE LH 6 (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH		LH 2	
KEYED HINGE SIDE	5 RH		LH 6	
KEYED STOP SIDE	9 LH		RH 10	

DOOR DIMENSIONS



FRAME: -

OPENING W - 23 7/8" x H - 87 3/8"

DOOR - Thickness 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12-6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.

This sheet is for Door # Sec 2 - 1304

Wall Type: Block Width of wall: 5 1/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE LH7 (FOLLOW BELOW CHART)

MOUNTING PLATE STOP SIDE

KEYED BOTH SIDES	3 LH		RH 4	
KEYED STOP SIDE	7 LH		RH 8	
KEYED HINGE SIDE	11 RH		LH 12	

DOOR DIMENSIONS



FRAME: -

OPENING W - 23 3/8" x H - 87 3/8"

DOOR - Thickness, 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12- 6

FRAME PROFILE DIMENSIONS



FRAME DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.

This sheet is for Door # Sec 3 - 147

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE LH 6 (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH			LH 2
KEYED HINGE SIDE	5 RH			<u>LH</u> 6
KEYED STOP SIDE	9 LH			RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W - 23 3/4" x H - 87 3/8"

DOOR - Thickness 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12- 6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.

This sheet is for Door # Sec 3-1418

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE: RHS (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH		LH 2
KEYED HINGE SIDE	5 RH		LH 6
KEYED STOP SIDE	9 LH		RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W- 23 3/4" x H- 87 3/8"

DOOR - Thickness 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12-6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.

This sheet is for Door # SEC 3-1419

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL _____ OFFICE _____

HANDING TYPE LH 6 (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH			LH 2
KEYED HINGE SIDE	5 RH			LH 6
KEYED STOP SIDE	9 LH			RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W- 23 7/8" x H- 87 3/8"

DOOR - Thickness, 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A
CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12- 6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.

This sheet is for Door # Sec 3-1420

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL OFFICE ☒

HANDING TYPE RH (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH		LH 2
KEYED HINGE SIDE	5 RH		LH 6
KEYED STOP SIDE	9 LH		RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W - 23 7/8 x H - 87 3/8

DOOR - Thickness 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12- 6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.







This sheet is for Door # Sec 3-1421

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL ☐ OFFICE ☒

HANDING TYPE LH 2 (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH			LH 2
KEYED HINGE SIDE	5 RH			LH 6
KEYED STOP SIDE	9 LH			RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W - 23 7/8" x H - 79 7/8"

DOOR - Thickness 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A
CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12- 6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.

This sheet is for Door # 583-1422

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL ☐ OFFICE ☒

HANDING TYPE RH (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH		LH 2	
KEYED HINGE SIDE	5 RH		LH 6	
KEYED STOP SIDE	9 LH		RH 10	

DOOR DIMENSIONS



FRAME: -

OPENING W 23 7/8 x H 79 7/8"

DOOR - Thickness 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12- 6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.







This sheet is for Door # Sec 3-1423

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL OFFICE ☒

HANDING TYPE LH2 (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH			LH 2
KEYED HINGE SIDE	5 RH			LH 6
KEYED STOP SIDE	9 LH			RH 10

DOOR DIMENSIONS




FRAME: -

OPENING W - 23 7/8" x H - 79 7/8"

DOOR - Thickness 1-3/4" Security Hollow Metal? 16GA

FRAME DIMENSIONS




ALL DOORS WILL BE CONSTRUCTED TO ACCOMMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6

ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12- 6

FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.

This sheet is for Door # Sec 3 - 1424

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL ☐ OFFICE ☒

HANDING TYPE LH (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH			LH 2
KEYED HINGE SIDE	5 RH			LH 6
KEYED STOP SIDE	9 LH			RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W - 23 7/8" x H - 79 7/8"

DOOR - Thickness : 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12-6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.







This sheet is for Door # Sec 3-1425

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL ☐ OFFICE ☒

HANDING TYPE LH2 (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH			LH 2
KEYED HINGE SIDE	5 RH			LH 6
KEYED STOP SIDE	9 LH			RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W- 23 7/8" x H- 87 1/8"

DOOR - Thickness 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12-6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.

This sheet is for Door # Sec 3-1426

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE RH 5 (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH		LH 2	
KEYED HINGE SIDE	5 RH		LH 6	
KEYED STOP SIDE	9 LH		RH 10	

DOOR DIMENSIONS



FRAME: -

OPENING W- 23 7/8" x H- 87 3/8"

DOOR - Thickness 1 1/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12- 6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.

This sheet is for Door # Sec 3 - 1427

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE RH 8 (FOLLOW BELOW CHART)

MOUNTING PLATE STOP SIDE

KEYED BOTH SIDES	3 LH			RH 4
KEYED STOP SIDE	7 LH			RH 8
KEYED HINGE SIDE	11 RH			LH 12

DOOR DIMENSIONS



FRAME: -

OPENING W- 23 3/8" x H- 87 1/8"

DOOR - Thickness 23 3/8" 15 3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12-6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.







This sheet is for Door # Sec 4-1414

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE RHS (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH			LH 2
KEYED HINGE SIDE	5 RH			LH 6
KEYED STOP SIDE	9 LH			RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W 23 7/8" x H - 87 3/8"

DOOR - Thickness 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A
CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12-6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.







This sheet is for Door # Sec 4 - 14/3

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE LH 6 (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH			LH 2
KEYED HINGE SIDE	5 RH			LH 6
KEYED STOP SIDE	9 LH			RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W- 23 3/8" x H- 87 3/8"

DOOR - Thickness, 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12- 6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.







This sheet is for Door # Sec 4 - 1412

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE RHS (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH			LH 2
KEYED HINGE SIDE	5 RH			LH 6
KEYED STOP SIDE	9 LH			RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W - 23 3/8" H - 87 3/8"

DOOR - Thickness 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12-6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.

This sheet is for Door # Sec4-1411

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE LH6 (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH			LH 2
KEYED HINGE SIDE	5 RH			LH 6
KEYED STOP SIDE	9 LH			RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W - 23 1/2" x H - 87 1/4"

DOOR - Thickness 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12-6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.




This sheet is for Door # Seat 4-1410

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL OFFICE ☒ (~~OBSERVER~~)

HANDING TYPE RH (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH		LH 2
KEYED HINGE SIDE	5 RH		LH 6
KEYED STOP SIDE	9 LH		RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W 33 7/8" x H - 87 3/8"

DOOR - Thi 4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12- 6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.







This sheet is for Door # Sec 4-1409

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE LH6 (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH			LH 2
KEYED HINGE SIDE	5 RH			LH 6
KEYED STOP SIDE	9 LH			RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W - 23 3/8" x H - 87 3/8"

DOOR - Thickness 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMMODATE A
CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12-6

FRAME PROFILE DIMENSIONS



FRAME DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.







This sheet is for Door # Sec 45 / 408

Wall Type: Block Width of wall: 5 5/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE LH 6 (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH			LH 2
KEYED HINGE SIDE	5 RH			LH 6
KEYED STOP SIDE	9 LH			RH 10

DOOR DIMENSIONS




FRAME: -


OPENING W - 23 3/4" x H - 87 3/8"

DOOR - Thickness 1 1/4" 1-3/4" Security Hollow Metal? 16GA

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6

ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12-6

MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.

This sheet is for Door #







1407

Wall Type: _____ Width of wall: _____


DOOR TYPE - CELL _____ OFFICE V (OBSERVER)

HANDING TYPE RH / (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH			LH 2
KEYED HINGE SIDE	5 RH			LH 6
KEYED STOP SIDE	9 LH			RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W 23 3/4" x H - 87 3/8"

DOOR - Thickness 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12- 6

FRAME PROFILE DIMENSIONS



FRAME DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.

This sheet is for Door # Sec 4 - 1406

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE RHS (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH		LH 2
KEYED HINGE SIDE	5 RH		LH 6
KEYED STOP SIDE	9 LH		RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W - 23 3/8" x H - 87 3/8"

DOOR - Thickness, 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12-6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.







This sheet is for Door # Sec 4- 1405

Wall Type: Block Width of wall: 5 1/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE LH 6 (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH			LH 2
KEYED HINGE SIDE	5 RH			LH 6
KEYED STOP SIDE	9 LH			RH 10

DOOR DIMENSIONS



FRAME: -

OPENING W- 23 3/8" x H- 87 3/8"

DOOR - Thickness 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12- 6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.

This sheet is for Door # Sec 4 - 1006 / 404

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE LH7 (FOLLOW BELOW CHART)

MOUNTING PLATE STOP SIDE

KEYED BOTH SIDES	3 LH		RH 4	
KEYED STOP SIDE	7 LH		RH 8	
KEYED HINGE SIDE	11 RH		LH 12	

DOOR DIMENSIONS



FRAME: -

OPENING W- 23 7/8" H- 87 3/8"

DOOR - Thickness 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6


ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12- 6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS



MCC CHICAGO DOOR SURVEY DETENTION DOORS

UNIT 25

ESSENTIAL DOOR / FRAME / HARDWARE INFORMATION

Fill in the blanks or circle the choices.

This sheet is for Door # Sec 1-2520

Wall Type: Block Width of wall: 5 3/4"


DOOR TYPE - CELL ☒ OFFICE ☐

HANDING TYPE RHS (FOLLOW BELOW CHART)

MOUNTING PLATE HINGE SIDE

KEYED BOTH SIDES	1 RH		LH	2
KEYED HINGE SIDE	5 RH		LH	6
KEYED STOP SIDE	9 LH		RH	10

DOOR DIMENSIONS



FRAME: -

OPENING W - 27 3/4" x H - 87 1/2"

DOOR - Thickness 1-3/4" Security Hollow Metal? 16GA


ALL DOORS WILL BE CONSTRUCTED TO ACCOMODATE A CONCEALED LEAF CONTINUOUS GEARED SECURITY HINGE.

ALL CELL DOORS LOCKS WILL BE A FA / 82-6

ALL OFFICE DOORS LOCKS WILL BE A FA / 86-6

ALL FOOD PASS LOCKS WILL BE A FA / 12-6

FRAME DIMENSIONS



FRAME PROFILE DIMENSIONS

